

I claim:

1. A method of treating acute migraine headache in an subject comprising administering to the subject an effective dose of intravenous valproate such
5 that acute migraine headache is lessened or reduced in said subject.

2. The method of claim 1, wherein administration is such that severity of acute migraine headache is lessened or reduced.

10 3. The method of claim 1, wherein administration is such that duration of acute migraine headache is lessened or reduced.

4. The method of claim 1, wherein administration is such that a symptom selected from the group consisting of nausea, photophobia, and phonophobia
15 is lessened or reduced.

5. The method of claim 1, wherein about 100mg to 2000mg of valproate is administered to a subject.

20 6. The method of claim 1, wherein about 200mg to 1500mg of valproate is administered.

7. The method of claim 1, wherein about 300mg to 1000mg of valproate is administered.
25

8. The method of claim 1, wherein about 250mg to 750mg of valproate is administered.

9. The method of claim 1, wherein about 500mg valproate is
30 administered to the subject.

10. The method of claim 1, wherein the valproate is administered to the subject over 30 minutes to 1 hour.

35 11. The method of claim 1, wherein the valproate is administered to the subject over 15 to 30 minutes.

12. The method of claim 1, wherein the valproate is administered to the subject over 5 to 15 minutes.

5 13. The method of claim 1, wherein the valproate is administered to the subject over 1 to 5 minutes.

14. The method of claim 1, wherein the valproate is administered to the subject in more than one dose.

1004994-1004994